DATE: 8 Dec 00

STATEMENT OF WORK (SOW)

for the
Rebuild
of the
AN/TPS-63B
Compressor Motor Assembly
NSN 6150-01-096-4584

SOW-03-844-2-88711B-1/1

- 1. This SOV identifies the work effort that shall be performed by the Contractor to rebuild the AN/TPS-63B Compressor Motor Assembly NSN 6150-01-096-4584, part number 29T3-111 CAGE 98437.
- 2. The attacl ed manuscript has been reviewed and is concurred upon by the following signers:

LAWRENCE E HERNDON

Weapon Systems Manager

Radar Systems Section (Code 844-2)

MARCORSYSCOM, Albany, GA

VIRGINIA A WILSON

Team Leader

Inventory Management Specialist

(Code 844-2)

MARCORSY SCOM, Albany, GA

RICHARD E JONES

Team Leader

Equipment Specialist

(Code 844-2)

MARCORSYSCOM, Albany, GA

STATEMENT OF WORK (SOW)
for the
Rebuild
of the
AN/TPS-63B
Compressor Motor Assembly
NSN 6150-01-096-4584

- 1.0 Scope. This Statement of Work (SOW) establishes, sets forth tasks and identifies the work efforts that shall be performed by the Contractor to rebuild the AN/TPS-63B Compressor Motor Assembly NSN 6150-01-096-4584, part number 29T3-111 CAGE 98437. This document contains requirements to restore the Compressor Motor Assembly to Condition Code "A." Condition Code "A" is defined as "serviceable/issuable without qualification; new, used, repaired or reconditioned material that is serviceable and issuable to all customers without limitation or restriction, including material with more than 6 months shelf-life remaining."
- 1.1 <u>Background</u>. Rebuild is defined as "That maintenance technique to restore an item to a standard as near as possible to original or new condition in appearance, performance, and life expectancy. This is accomplished through a maintenance technique or complete disassembly of the item, inspection of all parts or components, repair or replacement of worn or unserviceable parts/elements using original manufacturing tolerances and/or specifications and subsequent reassembly of the item."
- 2.0 Applicable Documents. The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the Department of Defense Index of Specifications and Standards (DoDISS) and supplement thereto which is in effect on the date of solicitation. In the event of conflict between the documents referenced herein and the contents of this SOW, the contents of this SOW shall be the superseding requirements.

2.1 Military Standards

MIL-STD-2073-ID DOD Standard Practice for Military Packaging

MIL-STD-129 DOD Standard Practice for Military Marking

2.2 Other Government Documents and Publications. The latest issues of those documents cited below shall be used.

29T3-111 Drawing, Compressor Motor Assembly

Military Handbooks (For Guidance)

MIL-HDBK-61 Configuration Management Guidance

2.3 Industry Standards

ANSI/ISO/ASQC Q9003-1994 Quality Systems - Model for Quality Assurance in Final

Inspection and Test

Industry Standards (For Guidance)

ANSI/EIA-649

National Consensus Standard for Configuration

Management

Copies of military standards and specifications are available from the DOD Single Stock Point, Document Automation and Production Service Philadelphia, Building 4/D, 700 Robbins Avenue, Philadelphia, PA 19111-5094, Telephone (215) 697-2179 or DSN 442-2179, or http://dodssp.daps.mil. Copies of other government publications required by contractors in connection with specific SOW requirements shall be obtained through the Contracting Officer: Commander, Attn: Contracting Officer (Code 891), Marine Corps Logistics Bases, 814 Radford Blvd., Albany, GA 31704-1128, commercial telephone number (229) 639-6761 or DSN 567-6761. Copies of engineering drawings shall be obtained from: Life Cycle Management Center, Attn: (Code 851-3), 814 Radford Blvd, Suite 20320, Albany, GA 31704-0320, commercial telephone number (229) 639-6410 or DSN 567-6410.

3.0 Requirements.

- 3.1 The Contractor shall rebuild the Compressor Motor Assembly strictly in accordance with the requirements as specified in Drawing 29T3-111, CAGE 98437. Additionally the Contractor shall be responsible for developing a test plan, and documenting the test results in a Test Data Report (TDR). The Contractor shall be responsible for all parts, materials, labor, facilities, tools, and test equipment necessary to rebuild the equipment in accordance with this SOW.
- 3.2 Packaging, Handling, Storage and Transportation (PHS&T).
- 3.2.1 The Contractor shall be responsible for preservation and packaging of items being rebuilt under the terms of this statement of work. Items scheduled for long-term storage or shipment to overseas (OCONUS) destinations shall be in accordance with the level "A" requirements of MIL-STD-2073-1D, Appendix A, Table A.VI., Electronic Equipment. Items scheduled for domestic shipment (CONUS) for immediate use or short-term storage shall be to level "B" requirements. NOTE: Level "A" preservation and packaging shall be normally required due to anticipated long-term storage requirements. Exceptions (items that have a confirmed immediate use within CONUS) will be identified, in writing, by the Weapon System Manager (WSM), Code 844-2.
- 3.2.2 Marking for shipment shall be in accordance with MIL-STD-129.
- 3.2.3 The Marine Corps will provide the Contractor with the shipping address(es) for delivery of the rebuilt equipment. The Contractor shall be responsible for arranging for shipment to the predesignated site(s). The Marine Corps will be responsible for transportation costs associated with shipping the subject equipment to and from the Contractor.
- 3.3 <u>Configuration Control</u>. The contractor shall apply configuration control procedures to established configuration items. The contractor shall not implement configuration changes to an

item's documented performance or design characteristics without prior written authorization. All permanent changes to the form, fit or function of the baseline shall be by Engineering Change Proposal. MIL-HDBK-61 (paragraph 4.2 and Table 4-6) and ANSI/EIA-649 (paragraph 5.3.1) provide guidance for preparing this configuration control document. If it is necessary to temporarily depart from the authorized configuration, the contractor shall prepare and submit a Request for Deviation. MIL-HDBK-61 (paragraph 4.3 and Table 4.9) and ANSI/EIA-649 (Paragraph 5.3.4) provide guidance for preparing this configuration control document.

- 3.4 Government Furnished Equipment (GFE) and Government Furnished Materiel (GFM). The Management Control Activity (MCA/Code 827-2) will coordinate Government Furnished Equipment/Government Furnished Materiel (GFE/GFM) requests and maintain a central control system on all government owned assets in the Contractor's possession. The MCA will forward a GFE/GFM Accountability Agreement to the Contractor for signature to establish a chain of custody and identify property responsibilities for Marine Corps assets. The Contractor shall report receipt of all GFE/GFM, and report consumption of GFM to the MCA. The MCA, in conjunction with the WSM, reserve the right to deny any requests for GFE/GFM. Under no circumstances shall such denial form a basis for either work stoppages or delays in delivery.
- 3.5 <u>Quality Assurance Provisions</u>. The Contractor shall establish and maintain a Quality System that, as a minimum, adheres to the requirements of ANSI/ISO/ASQC Q9003-1994, Quality Systems Model for Quality Assurance in Final Inspection and Test.
- 4.0 Reports. The Contractor shall develop a Test Data Report (TDR), based on test requirements to be developed by the Contractor (in accordance with this SOW), which references this SOW, the NSN, part number, and serial number of the Compressor Motor Assembly. Upon request, the Contractor shall submit a copy of the TDR electronically (preferred), via regular mail, or facsimile to the WSM. Electronic address is "MbMatcom844-2@matcom.usmc.mil" Mailing address is: Commander, Attn: (Code 844-2), Marine Corps Systems Command, 814 Radford Boulevard Suite 20343, Albany, GA 31707-0343. Facsimiles may be sent to (229) 639-5498 or DSN 567-5498, attention Weapons System Manager, Code 844-2.

CONTRAC' DATA REQUIREMENTS LIST Form Approved OMB No. 0704-0188 (1 Data Item) The public reporting borden for this collection of international completing and reviewing the collection of information. San Headquarters Services, Directorate for Information Dizerational hawn on person shall be subject to any penalty for faing to a to the Sovernment Issuing Contracting Officer for the Contra is estimated to average 110 hours per response, including the time for reviewing instructions, sear-hing existing data sources, gathering and maintaining the data needed, and omnerous regarding this burder estimate or any other aspect of this colection of information, including suggestions for reducing the burder, to Department of Dutense. Washington and Reports (0701-0188, 1215 Jefferson Davising theway. Suite 1204, Artington, VAII 27202-43ID. Respondents should be aware that notwithstanding any other provision of iply with a collection of information if it does not bisplay a currently valid DMB control number. PR No. listed in Block E Please DC NOT RETURN your form to the above address. Send completed form C. CATEGORY: A. CONTRACT LINE ITEM NO. B. EXHIBIT TDP TM DTHER D. SYSTEM/ITEM E. CONTRACT/PR NO. F. CONTRACTOR Compressor Motor Assy, AN TPS-63B 1. DATA ITEM NO. 2. TITLE OF DATA ITEM 3. SUBTITLE 17. PRICE GROUP A001 Engineering Change Proposal Configuration Management 4. AUTHORITY (Data Acquisition Document No.) 5. CONTRACT REFERENCE 6. REQUIRING OFFICE 18, ESTIMATED TOTAL PRICE **SOW 3.3** MCLBA (851) DI-CMAN-80639C 9. DIST STATEMENT 10. FREQUENCY 12. DATE OF FIRST SUBMISSION 7. DD 250 REO 14. DISTRIBUTION REQUIRED ASREQ See Blk 16 LT b. CCPIES 13. DATE OF SUBSEQUENT 8. APP CODE 11. AS OF DATE a ADDRESSEE SUBMISSION Draft Α Repro Reg 16. REMARKS MCLBA (851-2) 0 () Blk 4 - Contractor format is at horized and shall be submitted in .doc or .pdf format. Blks 10 & 12 - ECPs shall be abmitted for all proposed changes which permanently affect the baseline of a configuration item. ECPs will be reviewed and disposition determined within 30 calendar days upon receipt by the Government. ECPs shall be transmitted via c-mail to the following address: mbmatcomconfigmngmnt@ma_com.usmc.mil Distribution Statement A: Ap roved for public release, distribution is unlimited. 15. TOTAL 0 G. PREPARED BY H. DATE 1. APPROVED BY J. DATE PREVIOUS EDITION MAY BE USED. Page Pages αf

Designed using Perform Pro, WHS BICR, Aug 96

CONTRAC' DATA REQUIREMENTS LIST Form Approved OMB No. 0704-0188 (1 Data Item) s estimated to average 110 hours per response, including the time for reviewing instructions, searring existing existing existing spaces, gathering and maintaining the data needed, and concrets regarding this burden estimate or any other assect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington and Reports 9/0/1/0188, 1215, Jefferson Davis Highway, Sutre 1234, Affington, VA 22202-4307. Respondents should be aware that not with standing any other provision of rigy with a collection of information if it oces not display authority and CMB control number. Please CD NOT RESIDEN your form to the above address. Send completed from The public reporting burden for this collection of informatic completing and reviewing the collection of information. Semi-Headquarters Services, Directorate for Information Operation law, no person shall be subject to any penalty for failing to use to the Government Issuing Contracting Officer for the Contra riply with a soliection of information if it does not display a surrently valid CMB control number PRING listed in Block E A. CONTRACT LINE ITEM NO. B. EXHIBIT C. CATEGORY: X TDP ____ TM ____ OTHER D. SYSTEM/ITEM E. CONTRACT/PR NO. F. CONTRACTOR Compressor Motor Assy, AN TPS-63B . OATA ITEM NO. 2. TITLE OF DATA ITEM 3. SUBTITLE A002 Request For Deviation Configuration Management 4. AUTHORITY -Data Acquisition Document No.: 5. CONTRACT REFERENCE 6. REQUIRING OFFICE DI-CMAN-80640C SOW 3.3 MCLBA (851) 7. DD 250 REQ 9. DIST STATEMENT 12. DATE OF FIRST SUBMISSION 10. FREQUENCY DISTRIBUTION REQUIRED LT ASREQ See Blk 16 6 COPIES 8. APP CODE 13. DATE OF SUBSEQUENT 11. AS OF DATE a ACDRESSEE SUBMISSION Draft Λ Α Reg Вирго 16. REMARKS MCLBA (851-2) 0 () Blk 4 - Contractor format is at horized and shall be submitted in .doc or .pdf format. Blks 10 & 12 - RFDs shall be ubmitted to obtain authorization to deliver nonconforming meterial which does not meet the prescribed configuration RFDs will be reviewed and disposition determined within 30 calendar days upon receipt by the Government. RFDs shall be transmitted via -mail to the following address: mbmatcomconfigmngmnt@ma_com.usmc.mil Distribution Statement A: Approved for public release, distribution is unlimited. 15. TOTAL 0 0 G. PREPAREQ BY I. APPROVED BY J. DATE DD FORM 1423 1, AUG 96 (EG)

17. PRICE GROUP 18. ESTIMATED TOTAL PRICE